## LIST OF CONTENTS

VOLUME 28 NUMBER 1 1989

BOOK REVIEW

**A. D. Smith** — *In Praise of Imperfection. My Life and Work* — 1

RESEARCH PAPERS

**E. H. Buhl** and **J. Lübke** — Intracellular Lucifer Yellow injection in fixed brain slices combined with retrograde tracing, light and electron microscopy — 3

**T. E. Salt** — Gamma-aminobutyric acid and afferent inhibition in the cat and rat ventrobasal thalamus — 17

**J. L. K. Hylden, F. Anton** and **R. L. Nahin** — Spinal lamina I projection neurons in the rat: collateral innervation of parabrachial area and thalamus — 27

**I. Barakat** and **B. Droz** — Inducing effect of skeletal muscle extracts on the appearance of calbindin-immunoreactive dorsal root ganglion cells in culture — 39

**P. L. Woodhams, R. Calvert** and **S. B. Dunnett** — Monoclonal antibody G10 against microtubule-associated protein 1x distinguishes between growing and regenerating axons — 49

**D. K. Meyer, U. Conzelmann** and **K. Schultheiss** — Effects of somatostatin-14 on the *in vitro* release of [$^3$H]GABA from slices of rat caudatoputamen — 61

**K. Ohta, A. M. Graybiel** and **S. Roffler-Tarlov** — Dopamine $D_1$ binding sites in the striatum of the mutant mouse weaver — 69

**M. Denoyer, M. Sallanon, K. Kitahama, C. Aubert** and **M. Jouvet** — Reversibility of *para*-chlorophenylalanine-induced insomnia by intrahypothalamic microinjection of L-5-hydroxytryptophan — 83

**Z. Henderson** — Acetylcholinesterase on the dendrites of central cholinergic neurons: an electron microscopical study in the ferret — 95

**D. V. Pow** and **J. F. Morris** — Differential distribution of acetylcholinesterase activity among vasopressin- and oxytocin-containing supraoptic magnocellular neurons — 109

**M. A. Wilson, G. A. Ricaurte** and **M. E. Molliver** — Distinct morphologic classes of serotonergic axons in primates exhibit differential vulnerability to the psychotropic drug 3,4-methylenedioxymethamphetamine — 121

**J. S. Takahashi, D. E. Nelson** and **A. Eskin** — Immunocytochemical localization of serotonergic fibers innervating the ocular circadian system of *Aplysia* — 139

**S. K. Coles, J. F. Iles** and **S. Nicolopoulos-Stournaras** — The mesencephalic centre controlling locomotion in the rat — 149

**R. M. A. Jaspers, J. W. Berkelbach van der Sprenkel** and **A. R. Cools** — Progressive pathology of the caudate nucleus, the substantia nigra pars reticulata and the deeper layers of the colliculus superior: acute behavioural and metabolic effects of intrastriatal kainic acid — 159

**G. H. Fletcher** and **M. S. Starr** — Differential effects of pallidal lesions on the behavioural responses to SKF 38393, LY 171555 and apomorphine in the rat — 171

| | | |
|---|---|---|
| **R. Reynolds, E. M. Carey** and **N. Herschkowitz** | Immunohistochemical localization of myelin basic protein and 2′,3′-cyclic nucleotide 3′-phosphohydrolase in flattened membrane expansions produced by cultured oligodendrocytes | 181 |
| **S. R. Vincent** | Histochemical localization of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine oxidation in the mouse brain | 189 |
| **P. Legendre, A. Guzman, B. Dupouy** and **J. D. Vincent** | Excitatory effect of serotonin on pacemaker neurons in spinal cord cell culture | 201 |
| **L. Barthó, P. Holzer, S. Leander** and **F. Lembeck** | Evidence for an involvement of substance P, but not cholecystokinin-like peptides, in hexamethonium-resistant intestinal peristalsis | 211 |
| **A. M. Harman** and **L. D. Beazley** | Generation of retinal cells in the wallaby, *Setonix brachyurus* (quokka) | 219 |
| **T. K. McIntosh, R. Vink, L. Noble, I. Yamakami, S. Fernyak, H. Soares** and **A. L. Faden** | Traumatic brain injury in the rat: characterization of a lateral fluid-percussion model | 233 |
| **D. J. Bird** and **B. I. Baker** | An immunological study of the secretory activity of neurons producing melanin-concentrating hormone in a teleost | 245 |
| SOFTWARE SURVEY SECTION | | I |

VOLUME 28 NUMBER 2 1989

COMMENTARY

| | | |
|---|---|---|
| **P. G. Kostyuk** | Diversity of calcium ion channels in cellular membranes | 253 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **R. Cortés, B. Gueye, A. Pazos, A. Probst** and **J. M. Palacios** | Dopamine receptors in human brain: autoradiographic distribution of $D_1$ sites | 263 |
| **M. Camps, R. Cortés, B. Gueye, A. Probst** and **J. M. Palacios** | Dopamine receptors in human brain: autoradiographic distribution of $D_2$ sites | 275 |
| **A. Lysakowski, B. H. Wainer, G. Bruce** and **L. B. Hersh** | An atlas of the regional and laminar distribution of choline acetyltransferase immunoreactivity in rat cerebral cortex | 291 |
| **T. W. Robbins, B. J. Everitt, C. N. Ryan, H. M. Marston, G. H. Jones** and **K. J. Page** | Comparative effects of quisqualic and ibotenic acid-induced lesions of the substantia innominata and globus pallidus on the acquisition of a conditional visual discrimination: differential effects on cholinergic mechanisms | 337 |
| **B. R. Payne** and **A. Peters** | Cytochrome oxidase patches and Meynert cells in monkey visual cortex | 353 |
| **L. Barbeito, J. A. Girault, G. Godeheu, A. Pittaluga, J. Glowinski** and **A. Cheramy** | Activation of the bilateral corticostriatal glutamatergic projection by infusion of GABA into thalamic motor nuclei in the cat: an *in vivo* release study | 365 |
| **S. Laroche, V. Doyere** and **V. Bloch** | Linear relation between the magnitude of long-term potentiation in the dentate gyrus and associative learning in the rat. A demonstration using commissural inhibition and local infusion of an *N*-methyl-D-aspartate receptor antagonist | 375 |

| | | |
|---|---|---|
| **L. Aniksztejn, M. P. Roisin, R. Amsellem and Y. Ben-Ari** | Long-term potentiation in the hippocampus of the anaesthetized rat is not associated with a sustained enhanced release of endogenous excitatory amino acids | 387 |
| **R. S. Neuman, E. Cherubini and Y. Ben-Ari** | Endogenous and network bursts induced by *N*-methyl-D-aspartate and magnesium free medium in the CA3 region of the hippocampal slice | 393 |
| **K. Yoneda and Y. Okada** | Effects of anoxia and recovery on the neurotransmission and level of high-energy phosphates in thin hippocampal slices from the guinea-pig | 401 |
| **A. Śmiałowski and M. Bijak** | Repeated administration of SCH 23390 enhances the SKF 38393-induced inhibition in the rat hippocampus | 409 |
| **J. Mori-Okamoto, Y. Ikeda and J. Tatsuno** | Characterization of excitatory amino acid receptors in cultured chick cerebellar neurons | 413 |
| **M. G. Cozzi, P. Rosa, A. Greco, A. Hille, W. B. Huttner, A. Zanini and P. De Camilli** | Immunohistochemical localization of secretogranin II in the rat cerebellum | 423 |
| **R. O. Lockerbie, A. Autillo-Touati, D. Araud, R. Seite, H. Chneiweiss, J. Glowinski and A. Prochiantz** | Cyclic AMP reduces adhesion of isolated neuronal growth cones from developing rat forebrain to an astrocytic cell line from embryonic mouse striatum | 443 |
| **F. Keller and P. Levitt** | Developmental and regeneration-associated regulation of the limbic system associated membrane protein in explant cultures of the rat brain | 455 |
| **J. M. Lundberg, A. Rudehill, A. Sollevi, G. Fried and G. Wallin** | Co-release of neuropeptide Y and noradrenaline from pig spleen *in vivo*: importance of subcellular storage, nerve impulse frequency and pattern, feedback regulation and resupply by axonal transport | 475 |
| **J. Kohno, K. Shinoda, Y. Kawai, Y. Peng, K. Ono and Y. Shiotani** | Enkephalin fibers synapse on cholinergic neurons in the rat sacral intermediolateral nucleus: a double-immunostaining at the light and electron microscopic levels | 487 |
| **U. Hoheisel, E. Lehmann-Willenbrock and S. Mense** | Termination patterns of identified Group II and III afferent fibres from deep tissues in the spinal cord of the cat | 495 |
| **J. K. McGeachie and M. D. Grounds** | The onset of myogenesis in denervated mouse skeletal muscle regenerating after injury | 509 |
| BOOK REVIEWS<br>**P. C. G. Nye** | *Chemoreceptors in Respiratory Control*, edited by J. A. Ribeiro and D. J. Pallot | 515 |
| **A. P. Romodanov and K. E. Rudiak** | *Cerebrospinal Fluid and the Brain Edemas*, by T. H. Milhorat | 516 |
| **M. V. Sofroniew** | *Vasopressin Principles and Properties*, edited by D. M. Gash and G. J. Boer | 516 |
| **V. H. Perry** | *Glial–Neuronal Communication in Development and Regeneration*, edited by H. H. Althaus and W. Siefert | 517 |
| SOFTWARE SURVEY SECTION | | I |

| | | |
|---|---|---|
| **S. Otani, C. J. Marshall, W. P. Tate, G. V. Goddard** and **W. C. Abraham** | Maintenance of long-term potentiation in rat dentate gyrus requires protein synthesis but not messenger RNA synthesis immediately post-tetanization | 519 |
| **G. Buzsáki, G. L. Ponomareff, F. Bayardo, R. Ruiz** and **F. H. Gage** | Neuronal activity in the subcortically denervated hippocampus: a chronic model for epilepsy | 527 |
| **T. F. Freund, G. Buzsáki, O. J. Prohaska, A. Leon** and **P. Somogyi** | Simultaneous recording of local electrical activity, partial oxygen tension and temperature in the rat hippocampus with a chamber-type microelectrode. Effects of anaesthesia, ischemia and epilepsy | 539 |
| **J. W. Swann, R. J. Brady** and **D. L. Martin** | Postnatal development of GABA-mediated synaptic inhibition in rat hippocampus | 551 |
| **S. M. Cornish** and **H. V. Wheal** | Long-term loss of paired pulse inhibition in the kainic acid-lesioned hippocampus of the rat | 563 |
| **L. D. Wilkin, L. D. Mitchell, D. Ganten** and **A. K. Johnson** | The supraoptic nucleus: afferents from areas involved in control of body fluid homeostasis | 573 |
| **P. Panula, U. Pirvola, S. Auvinen** and **M. S. Airaksinen** | Histamine-immunoreactive nerve fibers in the rat brain | 585 |
| **E. Gould, N. J. Woolf** and **L. L. Butcher** | Cholinergic projections to the substantia nigra from the pedunculopontine and laterodorsal tegmental nuclei | 611 |
| **Y. Laouris** and **U. Windhorst** | The relationship between coherence and nonlinear characteristics in Renshaw cell responses to random motor axon stimulation | 625 |
| **L. P. H. Leenen, J. Meek, P. R. Posthuma** and **R. Nieuwenuys** | Differences in the fiber composition of the pyramidal tract in two- and 14-month-old rats | 635 |
| **S. P. Alexander** and **M. Reddington** | The cellular localization of adenosine receptors in rat neostriatum | 645 |
| **E. Carboni, A. Imperato, L. Perezzani** and **G. Di Chiara** | Amphetamine, cocaine, phencyclidine and nomifensine increase extracellular dopamine concentrations preferentially in the nucleus accumbens of freely moving rats | 653 |
| **S. I. Walaas** and **C. C. Ouimet** | The ventral striatopallidal complex: an immunocytochemical analysis of medium-sized striatal neurons and striatopallidal fibers in the basal forebrain of the rat | 663 |
| **N. Sales, M. P. Martres, M. L. Bouthenet** and **J. C. Schwartz** | Ontogeny of dopaminergic D-2 receptors in the rat nervous system: characterization and detailed autoradiographic mapping with [$^{125}$I]iodosulpride | 673 |
| **L. I. Aaron** and **M.-F. Chesselet** | Heterogeneous distribution of polysialylated neuronal-cell adhesion molecule during post-natal development and in the adult: an immunohistochemical study in the rat brain | 701 |
| **B.-R. Wang, E. Senba** and **M. Tohyama** | Ultrastructural investigation of substance P-, leucine-enkephalin- and 5-hydroxytryptamine-like immunoreactive terminals in the area of cremaster motoneurons of the male rat | 711 |
| **H. S. Lee, R. J. Kosinski** and **G. A. Mihailoff** | Collateral branches of cerebellopontine axons reach the thalamus, superior colliculus, or inferior olive: a double-fluorescence and combined fluorescence–horseradish peroxidase study in the rat | 725 |

| | | |
|---|---|---|
| **T. Tokimasa** and **T. Akasu** | Histamine $H_2$ receptor mediates postsynaptic excitation and presynaptic inhibition in submucous plexus neurons of the guinea-pig | 735 |
| **P. W. McCarthy** and **S. N. Lawson** | Cell type and conduction velocity of rat primary sensory neurons with substance P-like immunoreactivity | 745 |
| **T. J. Fisher, G. Vrbová** and **A. Wijetunge** | Partial denervation of the rat soleus muscle at two different developmental stages | 755 |
| **J. Y. Kong, Å. Thureson-Klein** and **R. L. Klein** | Differential distribution of neuropeptides and serotonin in pig adrenal glands | 765 |
| **P. D. Marley, S. J. Bunn, D. C. C. Wan, A. M. Allen** and **F. A. O. Mendelsohn** | Localization of angiotensin II binding sites in the bovine adrenal medulla using a labelled specific antagonist | 777 |
| EDITORIAL ANNOUNCEMENT | | I |
| SOFTWARE SURVEY SECTION | | III |